IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A multilayer composite which comprises comprising the following layers:

- I. an interior layer I selected from among a fluoropolymer molding composition
 and a polyolefin molding composition;
- II. a bonding agent layer II [which] that has the following composition:
 - a) from 0 to 80 parts by weight of a graft copolymer prepared using the following monomers:
 - from 0.5 to 25% by weight, based on the graft copolymer, of a polyamine having at least 4 nitrogen atoms and
 - polyamide-forming monomers selected from among lactams, ω -aminocarboxylic acids and equimolar combinations of diamine and dicarboxylic acid;
 - b) from 0 to 100 parts by weight of polyamide, and
 - c) from 0 to 85 parts by weight of a polymer selected from among fluoropolymers and polyolefins,

with the sum of the parts by weight of a), b) and c) being 100, and, in addition,

the sum of the components a) and b) comprising at least 20 parts by weight of monomer units derived from caprolactam and/or the combination hexamethylenediamine/adipic acid, hexamethylenediamine/suberic acid, hexamethylenediamine/sebacic acid, hexamethylenediamine/dodecanedioic acid,

Docket No. 293369US-0-PCT Preliminary Amendment

hexamethylenediamine/isophthalic acid or hexamethylenediamine/terephthalic acid and

- d) not more than 50 parts by weight of additives selected from among impact-modifying rubber and customary auxiliaries and additives; and
- III. a layer III comprising an EVOH molding composition.

Claim 2 (Currently Amended): The multilayer composite as claimed in claim 1, wherein

- [-] the component II.a) is present in an amount of from 1 to 60 parts by weight and/or
- [-] the component II.b) is present in an amount of from 10 to 75 parts by weight.

Claim 3 (Currently Amended): The multilayer composite as claimed in claim 1, wherein

- [-] the component II.a) is present in an amount of from 3 to 40 parts by weight and/or
- [-] the component II.b) is present in an amount of from 25 to 65 parts by weight.

Claim 4 (Currently Amended): The multilayer composite as claimed in any of the preceding claims claim 1, wherein from 5 to 75 parts by weight of the component II.c) are present.

Claim 5 (Original): The multilayer composite as claimed in claim 4, wherein from 10 to 65 parts by weight of the component II.c) are present.

Docket No. 293369US-0-PCT Preliminary Amendment

Claim 6 (Original): The multilayer composite as claimed in claim 4, wherein from 20 to 55 parts by weight of the component II.c) are present.

Claim 7 (Currently Amended): The multilayer composite as claimed in any of the preceding claims claim 1, wherein the fluoropolymer is selected from the group consisting of PVDF, ETFE, ETFE modified by means of a third component, E-CTFE, PCTFE, THV, FEP and PFA.

Claim 8 (Currently Amended): The multilayer composite as claimed in any of claims

1 to 6 claim 1, wherein polyethylene or isotactic polypropylene is used as polyolefin.

Claim 9 (Currently Amended): The multilayer composite as claimed in any of the preceding claims claim 1, wherein the fluoropolymer or the polyolefin is adhesion-modified.

Claim 10 (Currently Amended): The multilayer composite as claimed in any of the preceding claims claim 1, wherein the polyamide of the component II.b. comprises PA6, PA66, PA666, PA68, PA610, PA612, a polyamide derived from hexamethylenediamine together with isophthalic acid and/or terephthalic acid or mixtures thereof.

Claim 11 (Currently Amended): The multilayer composite as claimed in any of the preceding claims which additionally has claim 1, further comprising a layer which comprises comprising a polyamide molding composition or a polyolefin molding composition and is joined to the layer III by means of a suitable bonding agent.

Docket No. 293369US-0-PCT Preliminary Amendment

Claim 12 (Currently Amended): The multilayer composite as claimed in any of the preceding claims which claim 1 that is a pipe or a hollow body.

Claim 13 (Currently Amended): The multilayer composite as claimed in any of the preceding claims which claim 1 that is a pipe which is corrugated in its entirety or in subregions.

Claim 14 (Currently Amended): The multilayer composite as claimed in any of the preceding claims which claim 1 that is a fuel line, a brake fluid line, a coolant line, a hydraulic fluid line, a filling station line, an air conditioner line, a vapor line, a container or a filling port.

Claim 15 (Currently Amended): The multilayer composite as claimed in any of the preceding claims claim 1, wherein one of the layers of which the composite is composed or an additional interior layer has been made electrically conductive.

Claim 16 (Currently Amended): The multilayer composite as claimed in any of the preceding claims which is claim 1 produced by coextrusion, coating, multicomponent injection molding or coextrusion blow molding.